



5770

Design By Lievore Altherr


Tempo pendant lamps are a design by Lievore Altherr. Suspended from the cable, the blown glass diffuser offers subtle nuances of transparency and translucency. All models of the Tempo collection incorporate LED lighting.

Model Sheet



Optional: Extra cable length
Min. quantity, upcharge and extra lead time apply [EN]

| | |
|------------------------------|--|
| Finish | <ul style="list-style-type: none">  58 Cream RAL 7044  37 Terra Red NCS S 4040-Y70R  18 Graphite ADAPTA RF 9913 WX |
| LED temperature color | 2700 K / 3000 K |
| Dimming | Push; 1-10V / DALI-2 / Casambi |
| Installation type | Surface Canopy / Surface Free Wire / Remote Micro / Built-in XS |

| | |
|---------------------|---|
| Materials | LED support: Aluminum Diffuser: Blown-glass Ceiling rose: Steel |
| Light source | 1 x LED 4W 350mA  |
| LED | CRI>90 440.81 lm 110 2700 K / 3000 K |
| Driver | Constant Current 350 110~240 V V 50~60 Hz HZ |




| | |
|--------------------|---|
| Application | Hanging lamps |
| Packaging | 1 Box 0.32 m x 0.29 m x 0.169 m Gross weight 2.5 Net weight 2 Vol. 0.0156 |

Lighting effect

General Lighting


Lamp for general lighting that equally distributes the light in all directions.



Photometric Data

| | |
|--------------------------|------------|
| Efficiency | 54.76 lm/W |
| Coordinate System | CG |
| Total Flux | 301.62 lm |
| Maximum Value | 235.37 cd |

Other Applications




5772

Design By Lieveore Altherr


Tempo pendant lamps are a design by Lieveore Altherr. Suspended from the cable, the blown glass diffuser offers subtle nuances of transparency and translucency. All models of the Tempo collection incorporate LED lighting.


Model Sheet



Optional : Extra cable length
Min. quantity, upcharge and extra lead time apply [EN]

| | |
|------------------------------|---|
| Finish | 58 Cream RAL 7044 |
| | 18 Graphite ADAPTA RF 9913 WX |
| | 37 Terra Red NCS S 4040-Y70R |
| LED temperature color | 2700 K / 3000 K / 4000 K |
| Dimming | DALI-2 / Casambi / Push; 1-10V |
| Installation type | Remote Micro / Surface Canopy / Built-in XS / Surface Free Wire |

| | |
|---------------------|---|
| Materials | LED support: Aluminum Diffuser: Blown-glass Ceiling rose: Steel |
| Light source | 1 x LED 4W 350mA  |
| LED | CRI>90 440.81 lm 110 2700 K / 3000 K / 4000 K |
| Driver | Constant Current 350 110~240 V V 50~60 Hz HZ |



| | |
|--------------------|---|
| Application | Hanging lamps |
| Packaging | 1 Box 0.267 m x 0.278 m x 0.202 m Gross weight 1.8 Net weight 1.2 Vol. 0.0149 |

Lighting effect

General Lighting


Lamp for general lighting that equally distributes the light in all directions.



Photometric Data

| | |
|--------------------------|------------|
| Efficiency | 52.97 lm/W |
| Coordinate System | CG |
| Total Flux | 292.12 lm |
| Maximum Value | 263.81 cd |

Other Applications



All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty

Vibia Lighting, S.L.U.

Office / Oficina
Progrés 4-6. 08850 Gavà. Barcelona, Spain.

International T +34 934 796 971
Spain / Portugal T +34 934 796 970


customer.service@vibia.com
vibia.com

5774

Design By Lieveore Altherr

Tempo pendant lamps are a design by Lieveore Altherr. Suspended from the cable, the blown glass diffuser offers subtle nuances of transparency and translucency. All models of the Tempo collection incorporate LED lighting.

Model Sheet



Optional: Extra cable length
Min. quantity, upcharge and extra lead time apply [EN]

| | |
|------------------------------|--|
| Finish | <ul style="list-style-type: none"> 37 Terra Red NCS S 4040-Y70R 18 Graphite ADAPTA RF 9913 WX 58 Cream RAL 7044 |
| LED temperature color | 2700 K / 3000 K |
| Dimming | DALI-2 / Casambi / Push; 1-10V |
| Installation type | Remote XXS / Surface Canopy / Surface Free Wire / Built-in XS |

| | |
|---------------------|---|
| Materials | LED support: Aluminum Diffuser: Blown-glass Ceiling rose: Steel |
| Light source | 1 x LED 4W 350mA |
| LED | CRI>90 440.81 lm 110 2700 K / 3000 K |
| Driver | Constant Current 350 110~240 V V 50~60 Hz HZ |



| | |
|--------------------|---|
| Application | Hanging lamps |
| Packaging | 1 Box 0.267 m x 0.278 m x 0.202 m Gross weight 2 Net weight 1.4 Vol. 0.0149 |

Lighting effect

General Lighting


Lamp for general lighting that equally distributes the light in all directions.



Photometric Data

| | |
|--------------------------|------------|
| Efficiency | 55.71 lm/W |
| Coordinate System | CG |
| Total Flux | 302.04 lm |
| Maximum Value | 203.44 cd |

Other Applications



All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty

Vibia Lighting, S.L.U.

Office / Oficina
Progrés 4-6. 08850 Gavà. Barcelona, Spain.

International T +34 934 796 971
Spain / Portugal T +34 934 796 970


customer.service@vibia.com
vibia.com

5776

Design By Lievore Altherr

Tempo pendant lamps are a design by Lievore Altherr. Suspended from the cable, the blown glass diffuser offers subtle nuances of transparency and translucency. All models of the Tempo collection incorporate LED lighting.

Model Sheet



Optional: Extra cable length
Min. quantity, upcharge and extra lead time apply [EN]

| | |
|---------------|--|
| Finish |  37 Terra Red NCS S 4040-Y70R |
| |  62 Green NCS S 3010-G20Y |
| |  18 Graphite ADAPTA RF 9913 WX |

LED temperature color 2700 K / 3000 K

Dimming Push; 1-10V / DALI-2 / Casambi

Installation type Surface Canopy

Materials LED support: Aluminum
Diffuser: Blown-glass
Ceiling rose: Steel

Light source 1 x LED 4W 350mA



LED CRI>90 440.81 lm 110
2700 K / 3000 K

Driver Constant Current 350 110~240
V V 50~60 Hz HZ



Application Hanging lamps

Packaging 1 Box
0.51 m x 0.51 m x 0.165 m
Gross weight 12.4
Net weight 4
Vol. 0.0429

Lighting effect

General Lighting


Lamp for general lighting that equally distributes the light in all directions.



Photometric Data

| | |
|--------------------------|------------|
| Efficiency | 57.61 lm/W |
| Coordinate System | CG |
| Total Flux | 317.77 lm |
| Maximum Value | 315.71 cd |

Other Applications



All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty

Vibia Lighting, S.L.U.

Office / Oficina
Progrés 4-6. 08850 Gavà. Barcelona, Spain.

International T +34 934 796 971
Spain / Portugal T +34 934 796 970


customer.service@vibia.com
vibia.com

5778

Design By Lievore Altherr

Tempo pendant lamps are a design by Lievore Altherr. Suspended from the cable, the blown glass diffuser offers subtle nuances of transparency and translucency. All models of the Tempo collection incorporate LED lighting.


Model Sheet



Optional : Extra cable length
Min. quantity, upcharge and extra lead time apply [EN]

| | |
|------------------------------|---|
| Finish | <ul style="list-style-type: none"> 62 Green NCS S 3010-G20Y 18 Graphite ADAPTA RF 9913 WX 37 Terra Red NCS S 4040-Y70R |
| LED temperature color | 2700 K / 3000 K |
| Dimming | Push; 1-10V / Casambi / DALI-2 |
| Installation type | Surface Canopy |

| | |
|---------------------|---|
| Materials | LED support: Aluminum Diffuser: Blown-glass Ceiling rose: Steel |
| Light source | 1 x LED 4W 350mA |
| LED | CRI>90 440.81 lm 110 2700 K / 3000 K |
| Driver | Constant Current 350 110~240 V V 50~60 Hz HZ |



| | |
|--------------------|---|
| Application | Hanging lamps |
| Packaging | 1 Box 0.328 m x 0.328 m x 0.422 m Gross weight 4 Net weight 2.5 Vol. 0.0454 |

Lighting effect

General Lighting


Lamp for general lighting that equally distributes the light in all directions.



Photometric Data

| | |
|--------------------------|------------|
| Efficiency | 47.27 lm/W |
| Coordinate System | CG |
| Total Flux | 261.43 lm |
| Maximum Value | 190.70 cd |

Other Applications



All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty

Vibia Lighting, S.L.U.

Office / Oficina
Progrés 4-6. 08850 Gavà. Barcelona, Spain.

International T +34 934 796 971
Spain / Portugal T +34 934 796 970


customer.service@vibia.com
vibia.com

5780

Design By Lievore Altherr

Tempo pendant lamps are a design by Lievore Altherr. Suspended from the cable, the blown glass diffuser offers subtle nuances of transparency and translucency. All models of the Tempo collection incorporate LED lighting.

Model Sheet



Optional : Extra cable length
Min. quantity, upcharge and extra lead time apply [EN]

- Finish**
- 37 Terra Red
NCS S 4040-Y70R
 - 62 Green
NCS S 3010-G20Y
 - 18 Graphite
ADAPTA RF 9913 WX

LED temperature color 2700 K / 3000 K

Dimming DALI-2 / Casambi / Push; 1-10V

Installation type Surface Canopy

Materials LED support: Aluminum
Diffuser: Blown-glass
Ceiling rose: Steel

Light source 1 x LED 4W 350mA



LED CRI>90 440.81 lm 110
2700 K / 3000 K

Driver Constant Current 350 110~240
V V 50~60 Hz HZ



Application Hanging lamps

Packaging 1 Box
0,41 m x 0,41 m x 0,2 m
Gross weight 4
Net weight 2,5
Vol. 0.0336

Lighting effect


General Lighting

Lamp for general lighting that equally distributes the light in all directions.



Photometric Data

Other Applications



All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty

Vibia Lighting, S.L.U.

Office / Oficina
Progrés 4-6. 08850 Gavà. Barcelona, Spain.

International T +34 934 796 971
Spain / Portugal T +34 934 796 970

customer.service@vibia.com
vibia.com